



CorePro LEDspot MV

Corepro LEDspot 4.6-50W GU10 865 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information		Operating and Electrical	
Cap-Base	GU10 [GU10]	Input Frequency	50 to 60 Hz
Nominal Lifetime (Nom)	15000 h	Power (Rated) (Nom)	4.6 W
Switching Cycle	50000X	Lamp Current (Nom)	39 mA
Technical Type	4.6-50W	Wattage Equivalent	50 W
		Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	78 °C
Beam Angle (Nom)	36 °		
Luminous Flux (Nom)	390 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	390 lm	Dimmable	No
Luminous Intensity (Nom)	770 cd		
Color Designation	Cool Daylight	Approval and Application	
Rated Beam Angle	36 °	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	6500 K	Energy Efficiency Label (EEL)	A++
Luminous Efficacy (Rated) (Nom)	84.78 lm/W	Energy Consumption kWh/1000 h	5 kWh
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Luminous Flux in 90° Cone (Rated)	390 lm		


CorePro LEDspot MV

Product Data

Full product code	871869672841300
Order product name	Corepro LEDspot 4.6-50W GU10 865 36D
EAN/UPC - Product	8718696728413
Order code	929001218302
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001218302
Net Weight (Piece)	0.038 kg


Dimensional drawing




GU10 230V 4W-35W 260lm 100D 4000K GU10ND

Product	D	C
Corepro LEDspot 4.6-50W GU10 865 36D	50 mm	54 mm


Photometric data



Technical Information 11 Photo Lighting 4.1 Page 117





CorePro LEDspotMV 50W GU10 830 36D CLA



CorePro LEDspotMV 50W GU10 865 36D

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

